SRI L.G. HAVANUR(Minister for Law, Social Welfare and Backward Classes.—

(a) During 1978-79, 82 students are admitted to the post-matric Boys Hostel at Mangalore.

(b) Yes.

(c) Yes.

(d) Yes,

(e) Yes.

(f) The matter is under consideration,

MR. SPEAKER.—Now, I will take up the next item in the List of business.

CALLING ATTENION TO MATTERS OF URGENT PUBLIC IMPORTANCE

re: Scarcity of Drinking Water in Villges under Jurisdiction of Chief Engineer MI & PH, North-Zone

SRI G.B. SHANKAR RAO(Hirekerur).— I call the attention of the Minister for Rural Development and Panchayati Raj to the scarcity of drinking water in the villages coming under the jurisdiction of Chief Engineer, MI and PHE, North Zone.

SRI K. PRABHAKAR (Hon. Minister for Rural Development and Panchayat Raj). - Sir, The Chief Engineer, M.I, and PHE(North), Dharwad, has stated that in North Zone covering the eight districts of Belgaum, Bijapur, Dharwad, Uttara Kannada, Raichur, Bellary, Gulbarga and Bidar, 9632 Bore Wells were sunk upto the end of 15-3-1979, from the inception of the programme, out of which 7639 borewells were successful. Hand pumps have been fixed to 5862 bore wells and power pumps to 260 bore wells upto the end of February 1979. Thus, in all 6122 bore wells have been fitted with hand pumps/ power pumps in the North Zone. Thus 1517 bore wells have to be fitted with pumps, mainly hand pumps.

There were some difficulties in securing sufficient number of pump-sets at the lowest tendered rates. After fully considering all aspects, and in order to ensure that supplies are made available at the same rates, but from a larger number of suppliers, Government have issued necessary instructions to the Chief Engineer (North), Dharwad. The matter will be further pursuaded with a view to see that the installation of the remaining pumps is taken up and completed expeditiously.

SRI G.B. SHANKAR RAO.--In his reply, the Hon. Minister has stated as follows.—

> "There were some difficulties in securing sufficient number of pump-sets at the lowest tendered rates. After fully considering all aspects and in order to ensure that supplies are made available at the same rates, but from a large number of supplier, Government have issued necessary instructions to the Chief Engineer (North), Dharwad."

I would like to know whether the lowest tendered rates are only for the supply of pump-sets or it is inclusive of erection i.e., fitting the pump-sets to the bore-wells and commissing also.

Then, I would like to mention here that the pumps will be supplied by the contractors, Therefore. I would like to know whether these hand pumps supplied by them conform to the I.S I. standard I would also like to know whether the pump-sets that have been supplied hitherto are working properly So far as my knowledge goes, in the majority of cases, the hand-pumps that have been supplied are going cut of order and they have not been rectified so far. The Hon. Minister in his statement has stated that 1517 bore-wells have to be fitted with pumps, mainly hand pumps. I think these are all fresh bore-wells, and this figure does not include the number of wells to which pump-sets are fitted and commissioned in the previous years Therefore. I would like to know what action the Government is proposed to take for the lapses on the part of the Contractors or the Officers concerned? Already summer has set in now and this is not a case where mere hand-pumps are supplied; They have to be fixed and erected so that water should be made available to the villagers for drinking purposes and time factor is important in this case. The Government should understand or realise the seriousness of the problem and see that hand-pumps are supplied in time. I would also like to know how much time will be required for erection and commissioning of these hand-pumps and what are the arrangements that are going to be made by the Government to see that drinking water is made available to the villagers during the coming summer months as expeditiously as possible, as the Hon. Minister has put it?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—೧೯೭೭-೭೮ನೇ ಸಾಲಿನಲ್ಲಿ ಪಂಪುಗಳನ್ನು ಕೊಳ್ಳುವ ವಿಚಾರದಲ್ಲಿ ವ್ಯವಹಾರ ನಡೆದು ಪಂಪುಗಳನ್ನು ಒದಗಿಸಿದ್ದರು. ಆದರೆ ಸರ್ಕಾರದವರು ಆದನ್ನು ಒಪ್ಪಿಕೊಳ್ಳುವ ವಿಚಾರದಲ್ಲಿ ಡಿಪಾಸಿಟನ್ನು ಬ್ಯಾಂಕ್ ಡ್ರಾಫ್ಟ್ ಮುಖಾಂತರ ಒಪ್ಪಿಕೊಳ್ಳಬೇಕು ಎಂದು ಕೇಳಿದ್ದರಿಂದಲೂ, ಎಲ್ಲಾ ಹಣವನ್ನು ಒಂದೇ ಸಲ ಕೊಡಬೇಕು ಎನ್ನುವ ಷರತ್ತನ್ನು ಕಂಪನಿಯವರು ಹಾಕಿದ್ದರಿಂದ ಅವುಗಳನ್ನು ಪಿ.ಡಬ್ಲ್ಯೂ.ಡಿ ಕೋಡ್‌ನ ಪ್ರಕಾರ ಕೊಳ್ಳುವುದಕ್ಕೆ ಅವಕಾಶವಾಗಲಿಲ್ಲ. ಆಮೇಲೆ, ಇನ್ನೊಬ್ಬರಿಗೆ ನಮ್ಮ ಟರ್ಮ್ಸ್ ಪ್ರಕಾರ ಒಂದು ಸಾವಿರ ಪಂಪುಗಳನ್ನು ಕೊಳ್ಳಲು ಆರ್ಡರ್ ಕೊಟ್ಟಿದ್ದೇವೆ. ಆ ಬಗ್ಗೆ ಅವರು ಕೇವಲ ಕೆಲವು ಪಂಪುಗಳನ್ನು ಒದಗಿಸಿಕೊಟ್ಟಿದ್ದಾರೆ. ಎರಡನೆಯ ಸಲ ನಾವು ಪಂಪುಗಳನ್ನು ಸಪ್ಲೈ

ಮಾಡಿ ಎಂದು ಕೇಳಿದಾಗ ಅವರೂ ಸಹ ಟರ್ಮ್ಸ್ ಬದಲಾಯಿಸಿರಲಿಲ್ಲ. ಆದಕ್ಕೆ ನಾವು ಬೇರೊಂದು ಕಂಪನಿಯ ಟೆಂಡರ್ ಕರೆದು ತೆಗೆದುಕೊಳ್ಳಲಿಕ್ಕೆ ಆದೇಶ ಕೊಟ್ಟಿದ್ದೇವೆ. ಮೊದಲನೆಯ ಸಲ ಪಂಪುಸೆಟ್ಟುಗಳನ್ನು ಲೋಯಸ್ಟ್ ರೇಟ್‌ನಲ್ಲಿ ಕೊಟ್ಟಿದ್ದರೂ, ಇನ್ನೂ ಹತ್ತಾರು ಜನಗಳನ್ನು ಕೇಳಿ ಸಮಂಜಸವಾಗಿ ಕೊಂಡು ಕೊಳ್ಳಬೇಕು. ನಾವು ಆದೇಶ ಕೊಟ್ಟಿದ್ದೇವೆ. ಇದರ ಬಗ್ಗೆ ವ್ಯವಹಾರ ನಡೆದಿದೆ.

ಈ ಪಂಥ್ಸ್ ಪಂಪು ಸೆಟ್ಟುಗಳು ಪದೇ ಪದೇ ಕೆಟ್ಟು ಹೋಗುವ ಕಾರಣದಿಂದ ಈ ಮೊದಲಿನ ದರದಲ್ಲಿಯೇ ಒಳ್ಳೆಯ ಸ್ಟಾಂಡರ್ಡ್ ಕಂಪನಿಯಿಂದ ಕೊಂಡುಕೊಳ್ಳಬೇಕೆಂದು ನಾವು ಈಗಾಗಲೇ ಅವರಿಗೆ ಆದೇಶ ಕೊಟ್ಟಿದ್ದೇವೆ. ಆದರಂತೆ ಅವರು ಆರ್ಡರ್ ಕೊಟ್ಟಿದ್ದಾರೆ ಮೊದಲನೆಯ ಕಂಪನಿಯವರು ಸಪ್ಲೈ ಮಾಡದೆ ಡಿಫಾಲ್ಟರ್ ಆದ ಕಾರಣದಿಂದ ಅವರನ್ನು ತೆಗೆದು ಬೇರೆಯವರಿಂದ ಕೊಂಡುಕೊಂಡು ಆದಷ್ಟು ಬೇಗ ಉಳಿದಿರತಕ್ಕಂಥ ಕೆಲಸವನ್ನು ಮಾಡಿಸಿ ಜನರಿಗೆ ಅನುಕೂಲ ಮಾಡಿಕೊಡಬೇಕೆಂದು ತಿಳಿಸಿದ್ದೇವೆ ಅದರಂತೆ ಅವರು ಮಾಡುತ್ತಾರೆ.

೨-೦೦ ಪಿ ಎಂ.

ಶ್ರೀ ಜಿ. ಭಿ. ಶಂಕರರಾವ್.—ಹಳೆಯ ಟೆಂಡರ್ ರೇಟಿನಲ್ಲಿಯೇ ಬೇರೆಯವರಿಂದ ಕೊಂಡುಕೊಳ್ಳುವಂತೆ ಆದೇಶ ಕೊಡಲಾಗಿದೆ ಎಂದು ಹೇಳಿದಿರಿ. ಅಂದರೆ ಈ ದರ ಪಂಪುಸೆಟ್ಟುಗಳಿಗೆ ಮಾತ್ರವೋ ಅಥವಾ ಅವುಗಳಿನ್ನು ಬಾವಿಗಳಿಗೆ ಅಳವಡಿಸಿ ಕಮೀಷನ್ ಮಾಡುವುದು ಸಹ ಇದರಲ್ಲಿ ಸೇರಿದೆಯೋ ? ಹೇಗೆ ?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಈಗ ಒಂದು ಯೂನಿಟ್‌ಗೆ ೧೧೫೦ ರೂ. ಗಳಂತೆ ಒಳ್ಳೆಯ ಸ್ಟಾಂಡರ್ಡ್ ಕಂಪನಿಯವರಿಂದ ಕೊಂಡು ಕೊಂಡು ಈ ಕೆಲಸವನ್ನು ಬೇಗ ಮುಗಿಸಬೇಕೆಂದು ತಿಳಿಸಿದ್ದೇವೆ. ಈ ಬಗ್ಗೆ ಏನಾದರೂ ಸಮಸ್ಯೆಗಳಿದ್ದರೆ ಸರ್ಕಾರಕ್ಕೆ ತಿಳಿಸಿ ಎಂದೂ ಸಹ ಅವರಿಗೆ ಹೇಳಿದ್ದೇವೆ. ಮತ್ತು ಅವರ ಜೊತೆಯಲ್ಲಿ ವ್ಯವಹಾರ ನಡೆಸುತ್ತಿದ್ದೇವೆ. ತೊಂದರೆ ಏನೂ ಆಗುವುದಿಲ್ಲ. ಪಂಪ್‌ಗಳನ್ನು ಕೊಂಡು ಕೊಂಡು ಅಳವಡಿಸಿ ಎಂದು ಇಂಜಿನಿಯರ್ ಅವರಿಗೆ ನಾವು ತಿಳಿಸಿದ್ದೇವೆ.

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಇಲ್ಲಿ ಪಂಪ್‌ಗಳನ್ನು ಒದಗಿಸುವುದು ಅಷ್ಟೇ ಅಲ್ಲ, ಅವುಗಳನ್ನು ಅಳವಡಿಸಿ ಕಮೀಷನ್ ಮಾಡುವುದು ಸಹ ಜಾಗ್ರತೆ ಆಗಬೇಕಾಗಿದೆ. ಈಗ ಅಲ್ಲಿ ಇನ್ನೂ ೧೫೦೭ ಬಾವಿಗಳಿಗೆ ಪಂಪ್‌ಗಳನ್ನು ಅಳವಡಿಸಬೇಕಾಗಿದೆ. ಈಗಾರ್ಗ ಅಲ್ಲಿ ಕುಡಿಯುವ ನೀರಿನ ಅಭಾವ ತಲೆದೂರಿದೆ. ಈ ಒಂದು ಕಾರ್ಯಕ್ರಮ ಸುಮಾರು ವರ್ಷಗಳಿಂದ ನಡೆಯುತ್ತಿದೆ, ಕಳೆದವರ್ಷವೂ ಈ ಒಂದು ಸಮಸ್ಯೆಯ ಬಗ್ಗೆ ಮಾನ್ಯ ಸದಸ್ಯರು ಈ ಸಭೆಯಲ್ಲಿ ಸಾಕಷ್ಟು ಪ್ರಸ್ತಾಪ ಮಾಡಿದರೂ ಸಹ ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿಗಳು ಕೂಡಲೇ ಏತಕ್ಕೆ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳಲಿಲ್ಲ ? ಈ ತರಹದ ತೊಂದರೆ ಬೇಸಿಗೆ ಕಾಲದಲ್ಲಿ ಬರುತ್ತದೆಂಬುದು ಸರ್ಕಾರಕ್ಕೆ ತಿಳಿದಿದ್ದರೂ ಸಹ ಈ ಕೆಲಸ ಇಷ್ಟು ನಿಧಾನವಾಗುವುದಕ್ಕೆ ಕಾರಣವೇನು ? ಇದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟವರ ಮೇಲೆ ಏನು ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುತ್ತೀರಿ ? ಇತ್ತೀಚೆಗೆ ರಿಪೇರಿಯಾಗಬೇಕಾದಂಥ ಪಂಪ್‌ಸೆಟ್ಟುಗಳ ಸಂಖ್ಯೆ ಸಾಕಷ್ಟು ಪ್ರಮಾಣದಲ್ಲಿ ದೊಡ್ಡದಾಗುತ್ತಿದೆ. ಅನೇಕ ಕಡೆಗಳಲ್ಲಿ ಕೆಟ್ಟು ಹೋಗಿವೆ. ಇವುಗಳ ರಿಪೇರಿ ಮಾಡಿಸುವುದು ಒಂದು ಕಡೆಯಾದರೆ ಮತ್ತೊಂದು ಕಡೆ ಹೊಸದಾಗಿ ತೆಗೆದ ಬಾವಿಗಳಿಗೆ ಇನ್ನೂ ಪಂಪ್ ಸೆಟ್ಟುಗಳನ್ನು ಅಳವಡಿಸಿಲ್ಲ. ಇದೆಲ್ಲವನ್ನು ಗಮನಿಸಿದರೆ ಈ ಒಂದು ಸಮಸ್ಯೆ ಬೃಹದಾಕಾರವಾಗಿ ಬೆಳೆಯುತ್ತಿರುವುದು ಕಂಡುಬರುತ್ತಿದೆ. ಇದು ಪ್ರತಿನಿತ್ಯದ ಸಮಸ್ಯೆಯಾಗಿದೆ. ಪ್ರತಿ ಗಂಟೆಗೂ ಬರುವ ಸಮಸ್ಯೆಯಾಗಿದೆ. ತಾವು ವಾರ್-ಪುಟಿಂಗ್ ಮೇಲೆ ಕೆಲಸ ಮಾಡಿಸಿದರೂ ಸಹ ಕೆಟ್ಟು ಹೋಗುತ್ತಿರುವುದು ಜಾಸ್ತಿಯಾಗಿದೆ. ನೀರಿನ ಸಮಸ್ಯೆ ಕೇವಲ ಜನರಿಗೆ ಮಾತ್ರವಲ್ಲ, ಹಳ್ಳಿಗಾಡಿನ ಕಡೆಗಳಲ್ಲಿ ದನಗಳಿಗೂ ನೀರಿನ ಸಮಸ್ಯೆ ಬಂದಿದೆ, ಆದಕಾರಣ ಇವನ್ನು ಯಾವ ರೀತಿಯಿಂದ ಬಗೆಹರಿಸುತ್ತೀರಾ ಎಂದು ತಮ್ಮನ್ನು ಕೇಳುತ್ತೇನೆ ?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಈಗಾಗಲೆ ತಮಗೆ ಸಾಕಷ್ಟು ತಿಳಿಸಿದ್ದೇನೆ. ಪಂಪ್‌ಗಳನ್ನು ಅಳವಡಿಸುವ ಸಂಖ್ಯೆ ಜಾಸ್ತಿ ಇದೆ. ಈಗ ಕೆಲಸ ಮುಗಿದಿರುವ ಬಾವಿಗಳನ್ನು ಸೀಲ್ ಮಾಡಿದ್ದಾರೆ. ಅವುಗಳಿಗೆ ಪಂಪ್‌ಗಳನ್ನು ಅಳವಡಿಸಬೇಕಾಗಿದೆ. ಇಲ್ಲಿ ಒಬ್ಬ ಕಂಟ್ರಾಕ್ಟರ್ ಸಕಾಲದಲ್ಲಿ ನಮಗೆ ಪಂಪ್‌ಗಳನ್ನು ಒದಗಿಸಲಿಲ್ಲ. ಈ ಕಾರಣದಿಂದ ಈಗ ಒಳ್ಳೆಯ ಗುಣಮಟ್ಟದ ಪಂಪ್‌ಸೆಟ್ಟುಗಳನ್ನು ಬೇರೆ ಕಡೆಯಿಂದ ಕೊಂಡುಕೊಳ್ಳುವುದಕ್ಕೆ ವ್ಯವಸ್ಥೆ ಮಾಡಿದ್ದೇವೆ. ಪಂಪ್‌ಗಳು ದೊರೆತ ಕೂಡಲೆ ಆತಿ ಶೀಘ್ರದಲ್ಲಿಯೇ ಅವುಗಳನ್ನು ಅಳವಡಿಸುವುದಕ್ಕೆ ವ್ಯವಸ್ಥೆ ಮಾಡುತ್ತೇವೆ.

ಇನ್ನು ಪಂಪ್‌ಸೆಟ್ಟುಗಳನ್ನು ಅಳವಡಿಸಿದ ಮೇಲೆ ಅವುಗಳು ಕೆಟ್ಟುಹೋಗುತ್ತವೆಂದು ಮಾನ್ಯ ಸದಸ್ಯರು ಹೇಳಿದರು. ಆ ರೀತಿ ಕೆಟ್ಟುಹೋದ ಮೇಲೆ ನಾವು ಸರಿ ಮಾಡುತ್ತಿದ್ದೇವೆ. ಇದು ಒಂದು ರೂಪದ ಅಖಿಂಡ ಕಾರ್ಯಕ್ರಮವಾಗಿದೆ. ರಿಪೇರಿ ಮಾಡಿಸುವುದಕ್ಕಾಗಿಯೇ ನಾವು ಪ್ರತಿ ಜಿಲ್ಲೆಯಲ್ಲಿಯೂ ಒಂದು ಸೆಲ್‌ನ್ನು ಇಟ್ಟಿದ್ದೇವೆ, ನಾವು ಪಂಪ್‌ಗಳು ಕೆಟ್ಟಾಗಲೆಲ್ಲಾ ನಿಸ್ಸಹಾಯಕರಾಗಿರದೆ ಶ್ರದ್ಧೆಯಿಂದ ರಿಪೇರಿ ಮಾಡಿಸುತ್ತಿದ್ದೇವೆ. ಆದ ಕಾರಣ ಇದರ ಬಗ್ಗೆ ತಮ್ಮ ವಿಶ್ವಾಸವೂ ಜಾಸ್ತಿ ಇದೆ ಎಂದು ನಾನು ತಿಳಿದುಕೊಂಡಿದ್ದೇನೆ.

ಅಧ್ಯಕ್ಷರು.—ಶ್ರೀ ಭಾಪುರಾವ್ ದೇಶಪಾಂಡೆಯವರ ಗಮನ ಸೆಳೆಯುವ ಸೂಚನೆಯನ್ನು ನಾನು ಮಾನ್ಯ ಮಂತ್ರಿಗಳ ಅಭಿಪ್ರಾಯದ ಪ್ರಕಾರ ನಾಳೆ ತೆಗೆದುಕೊಳ್ಳುತ್ತೇನೆ.

ಶ್ರೀ ಭಾಪೂರಾವ್ ದೇಶಪಾಂಡೆ.—ಆಗಬಹುದು.

(ii) *re* ; false certificates issued by the K.P.S.C.

ಶ್ರೀ ಡಿ. ದೇವರಾಜ ಅರಸ್ (ಮುಖ್ಯಮಂತ್ರಿಗಳು).—ಸಹಸ್ಯಾರು ಸರ್ಕಾರಿ ನೌಕರರು ತಮ್ಮ ಇಂಕ್ರಿಮೆಂಟ್ ಹಾಗೂ ಭಡ್ತಿಯನ್ನು ಪಡೆದುಕೊಳ್ಳುವ ಸಲುವಾಗಿ ಸುಳ್ಳು ಸರ್ಟಿಫಿಕೇಟ್‌ಗಳನ್ನು ಹಾಜರುಪಡಿಸಿದ ಬಗ್ಗೆ ನಾನು ಮಾನ್ಯ ಮುಖ್ಯಮಂತ್ರಿಗಳ ಗಮನವನ್ನು ಸೆಳೆಯುತ್ತೇನೆ :—

SRI D. DEVARAJ URS (Chief Minister).—I wish to make the following Statement :

The Karnataka Public Service Commission found, during the first week of March 1979 that a large number of blank certificate forms were missing. Therefore the Commission by its Notification dated 16th March 1979 published in the Gazette dated 22nd March 1979 indicated the serial numbers of the missing blank certificates with a request to unit officers to verify whether any of the officials in their units, had produced the certificates with the serial numbers of the missing blank certificates and if so, to make further verification under intimation to the commission.

The Joint Director of Land Records, Bangalore Division referred on 23rd February 1979 a specific complaint to the P.S.C. regarding issue of a false certificate to one of the officials of the Department of Survey Settlement and Land Records. On receipt of this complaint a letter was written by the Secretary, P.S.C, on 15th March 1979 to the Special Inspector-General of Police, Training and C.I.D. stating that in the recent past several incidents had been brought to the notice of the Commission wherein large number of false pass certificates pertaining to the service examinations were in circulation. Since the police could not take a statutory investigation on the basis of the D O, letter, the Secretary of the Commission was requested by the Police to make a regular complaint, Accordingly, the Deputy Secretary of the Karnataka Public Service Commission made a complaint on 19th March 1979 and a case in crime No. 184/79 under Section 381, 420 and 468 of the I.P.C. has been registered by the Police.